



Treston Dual LED Lighting

Treston's dual intensity LED light (available with built in shield) features a High/Low/Off switch that allows the user to control the amount of light used. They can easily be attached to light balancer rails, shelves, and other surfaces. Optional magnetic mounting bracket for attaching the light fixture to a metal shelf allows for greater functionality and maneuverability.

LED light fixtures are a great addition to any workstation or workplace, where energy efficiency, durability, and longevity are important factors. LEDs boast a long life span, 10x longer than traditional florescent lamps, and use up to 90% less power than traditional lighting. Treston LED lights have a lifespan of up to 100,000 hours (11 1/2 years powered 24 hrs/day).

- High/Low/Off switch
- Daisy Chain up to 10 fixtures with 1 power source for a continuous length of lighting, with minimum wiring
- 10ft power cord included
- Operating voltage: 90 to 264 V ac (50 or 60 Hz), Power factor > 0.95 on high setting at 120 V ac
- Lumen output: 600 (±5%) per foot, typical at 25 °C (77 °F)
- Light color: Daylight white
- Color temperature (CCT): 5000K (±300K)
- UL approved, CE certified
- Light balancer rail hardware included. Optional magnetic mount for attachment to metal surfaces. Swivel bracket available for positioning light throughout workspace.

[Treston's LED lights are now available with a built-in motion sensor!](#) See products below.

Treston Dual LED Lighting (16)

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Power cord inches	Available for the following products	Warranty years
14-95035171	LED Light with built in skirt/shield, 22.44"	22.44		5000	1200		-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	1
14-95035172	LED Light with built in skirt/shield, 33.46"	33.46		5000			-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	
14-95035173	LED Light with built in skirt/shield, 44.48"	44.49		5000			-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	
14-95035174	LED Light with built in skirt/shield, 22.44", magnetic	22.44		5000			-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	
14-95035175	LED Light with built in skirt/shield, 33.46", magnetic	33.46		5000			-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	
14-95035176	LED Light with built in skirt/shield, 44.48", magnetic	44.49		5000	1200		-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Power cord inches	Available for the following products	Warranty years
14-95035401	25.6"L LED light, built in shield, motion sensor, overhead	22.44		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2
14-95035402	36.7"L LED light, built in shield, motion sensor, overhead	33.46		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2
14-95035403	47.8"L LED light, built in shield, motion sensor, overhead	44.49		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2
14-95035404	25.6"L LED light, built in shield, motion sensor, Magnetic	22.44		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2
14-95035405	36.7"L LED light, built in shield, motion sensor, Magnetic	33.46		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2
14-95035406	47.8"L LED light, built in shield, motion sensor, Magnetic	44.49		5000	1200	No	-13°F - +113°F	IP50	0	Concept Workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation	2

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Power cord inches	Available for the following products	Warranty years
14-9500039	Task light bracket, accepts 1/2" pin style task lights		Yes						0		5
14-95021205	Omega 7 ESD LED Magnifier, 7" optical quality lens, 2 bright		Yes	6000K		Yes			0		
14-9502172	Ultra-slim white magnifying lamp with 7 inch dia. precision		No	6000K		Yes			0		
14-9502173	Omega 5 Magnifier		No						0		